



Hospital long arm



MWP 53x43cm(HXV)
up&down arm
load: 10kgs

M811 53cm (Horizontal two ways arm)
load: 10kgs

MS 15cm (short arm)
load: 15kgs

Technical drawing of the office chair showing dimensions and labels for various components:

- MS**: Headrest assembly, 142mm width.
- MN**: Armrest assembly, 196mm width.
- MK**: Armrest adjustment mechanism, 535mm length.
- ML**: Main vertical support column.
- MT**: Mesh backrest, 296mm width.
- MR**: Base plate, 178mm width.
- MC**: Casters, 135mm diameter.
- Dimensions**:
 - 1560mm: Total height of the chair.
 - 142mm: Headrest width.
 - 196mm: Armrest width.
 - 535mm: Armrest adjustment length.
 - 296mm: Mesh backrest width.
 - 178mm: Base plate width.
 - 135mm: Caster diameter.
 - Ø625mm: Base plate diameter.


Ergonomic Computer System



Which one you want to be ?




Photo by Hank FR 01/15



All kinds of Arm for medical



Arm holder



Mouse Arm holder chair



iPad Laptop for wheelchair



Multi purpose Toilet chair



Ergo Handy walking cane

Nitrogen-injection design,
presenting a classy and stylish
appearance and strength

Ergonomic Handle



Ergonomic Handle for easier
grasping. It provides a
wider holding area to
achieve steadier
walking function

Palm snugging and
comfortable



User-friendly design. The
level can be adjusted
freely according to the
physical height of the user

Fixed Rotary Head.
Easier for height
adjustment



Four feet are designed
with flexible angles for
standing as required.
Being convenient,
it accompanies you all
the time when taking
meals or going to the
restroom

Elastic 4-feet
design for
stabilized standing



Patented bottom elasticity
design. Enlarged anti-skid
rubber pad for firmer landing
and anti-skid function.
It is much safer when walking
on a smooth surface and can
adapt to a bumpy road

Circular and
horizontal slanting
lines double-layer
anti-skid design



Handy walking cane

with self electric
power generating
LED flashlight
alarm

